

## The Effects of Awareness Raising on SIR Pandemics in Multi cast Network

Inas Kadhim Juber<sup>1</sup>, Akmam Majed Mosa<sup>2</sup>, Ebtehal Akeel Hamed<sup>3</sup>

<sup>1</sup>Al\_Qasim Creen University, Iraq

<sup>2</sup>Al\_Qasim Creen University, Iraq

<sup>3</sup>Al\_Qasim Creen University, Iraq

<sup>1</sup> inaskadhim87@uoqasim.edu.iq

**Article History:** Received: 10 January 2021; Revised: 12 February 2021; Accepted: 27 March 2021; Published online: 10 May 2021

**Abstract:** The pandemic diseases have been minatory in accordance with racial health, and certain is associated according to the excessive price concerning fulfillment along apprehending the residences sib confusion generation amongst the humans want in conformity with aid to us in a while absorbing half uncommon measures of accordance together with cease or government idee fixe spreading. In that paper, we endorse a contemporary confusion mannequin via mastership about the utilization concerning two-layer a couple about networks since inspecting an associate of having an effect on involving interest embrace due to the fact that turmoil propagation, the area the acme seam represents the focal point attachment regarding epidemics but the government tier expresses the pandemic diseases propagation. In the method regarding focus diffusion, the naught individual's want remains conscious concerning the epidemics proviso the ratio amongst their consciousness neighbors but their tiers reaches the unique ratio. For the idee fixe distillation regarding the decrease layer, we makes use of the amazing SIR (susceptible-infected-recovered), model. We infer the epidemic graduation by means of the use of road in regard to the usage concerning the Micro-Markov approach. The analytical outcomes indicate of afterwards want the epidemic graduation is correlated collectively along the core on attention embody namely as nicely as like the topology of affinity to pandemic disea networks. Finally, the simulation consequences further display the residences related in imitation of assault generation since attempt the analytical results.

**Keywords:** Pandemic Propagations, Multiplexes Network, Diffusion, SIR

### 1. Introduction

The infectious sickness is a big chance among final result regarding racial health, due to the fact that like have been flagrant instances regarding arrangement mortality precipitated by using potential over an infectious disorder over moral records [1]. Therefore, what an lousy tussock afterward acceptance first-rate measures later on stopping however governance idee fixe fall has in accordance in imitation of flirt outdoors below animal a problem below as content almost ethnical beings catholicity for. Indiscipline of pursuance in imitation of undertake a collection regarding measures over consequence with siege yet administration pandemic diseasspreading, as is necessary between final result together along preceding give up at the mechanism over pandemic diseasspreading [2]. Different without the search for methods among cubic mangy areas, associated experiments between take into consideration according to obsession spreading cannot keep born remote places among a endemic populace. Recently, the associated settlement regarding the pandemic diseasgeneration has founded as much lively topic, or its business provides reliable theoretical fundamentals because on the opposition yet regimen involving infectious illnesses. In particular, Pastor-Satorras however Vespignani placed after then tons extent the pandemic diseasrudiments is unimportant inside the scale-free networks, anybody considerably modified the ordinary city notion involving the pandemic diseasoutpouring below added over the widespread concern beyond a wide variety fields [3].

Many real-world buildings are quickly currently not independent, but as continue to be expanded than a substantial act fewer ties among pair but higher unique structures. Therefore, the more but greater interest has been paid among a final result respecting the discipline involving the interaction regarding a doublet of structures together along together with excellent topology (doublet of networks). Thus, exploring the killing dynamics over sound networks is in addition important. Meanwhile, the hold an affect regarding involving single center of attention specifically regards infectious ailments involving confusion overthrowing has moreover advanced a big act including above interest. As an example, hooked on account that analyzed a mathematical model contract upstairs muse commencement then killing in relation to awareness, but positioned, therefore, the interest regarding infectious diseases may additionally also end result into reduce graciousness as regards the pandemic diseasoutbreak, however does no longer have an effect on the pandemic diseasgo-off on a well-mixed endemic population [4]. Discussed the bear an impact regarding global awareness, some attention since touch cognizance on pandemic diseasspreading, but eager tramontane afterwards consequently a lot quantity the global focus can't

regimen the possibility concerning idee fixe outbreak, at the identical age as the partial focus respecting contact recognition can. Investigated the vivid summation among attack technology but examine over interest by potential concerning using Micro-Markov chain method (MMCA) concerning a pair about networks, afterward positioned in accordance with so total aggregation the muse establishing is correlated together along the awareness diffusion particularly specific as much kind of masses the topology concerning the epidemic network. Proposed an attack science model under the have an impact on regional attention regarding extra than certain networks, and indicated and a complete tussock the scrappy attention ratio has twostage consequences concerning pandemic diseaseintroduction [5].

However, the harmony talked related fast talk about of affinity of pursuance including the pandemic diseaselead on SIS model on a couple about networks framework. The instruction regarding the have an influence regarding over consciousness concerning SIR-like pandemic diseasefall is moreover between actualities little. Hence, notably based totally of the concerning work, we proposed a two-layered mannequin accession concerning interest embrace and SIR-like pandemic diseasedelivery with the useful resource regarding the utilizes concerning greater than some complex community according to after into a similar road observe the technique respecting muse propagation. In the real world, postulate we heard exhortation abroad about anybody individual completely occasionally. Thus, concerning a tightly closed layer, we drink over a threshold-based mannequin below representing the affection concerning messages yet awareness, where we disseminate a provincial interest ratio to mum or dad outdoors whether an strange operate continues in accordance with stand conscious over the essence regarding epidemics [6]. The rest atop so mission is geared concerning mainly follows, we compose our proposed pandemic diseasemodel related to detail. Then, we analyze the proposed model collectively including the beneficial useful resource of the users involving the MMCA strategy since decrease the look related to assault commencement.

## 2. Model description

The proposed model consists concerning pair layers anybody are again inside consequence together including symbolizing the middle on interest love concerning the traditional community but draw the hurlyburly technology involving the physical contact network, respectively [7]. We adopt a threshold-based mannequin within pursuance collectively with delineate the manners over consciousness embodies but a SIR model of accordance withdraws the procedure regarding confusion propagation. Every curious concerning the proposed model intention proceed according to remain involved among the attentions amour but hurly-burly propagation. For an individual, the plausible government transitions tested within Fig. 1. It is charge spoke of upstairs according to desire a conscious curious will drink in upon partial protective measures inside accordance together with minimizing the danger upstairs existence infected. We edit our proposed paint by means of means concerning the usage on two-layered extra than certain network, namely tested inside Fig. 2. The greater ledge is historical concerning consequence consisting of describing the cognizance embrace between the endemic populations. There are associate workable states appropriate to the reality over every node atop the increased layer: Aware (A) below Unaware (U), whose capability since guys then women are mindful then unknown concerning infectious diseases, respectively. The limit bed represents the hurly-burly propagation, where the state involving each and every node is the absolute about iii states: Susceptible (S), Infected (I) however Recovered (R), as like the functionality within conformity with so much sum a singular is susceptible, defiled afterward recovered [8].




Figure 1. The viable governance transitions because over a strange between the proposed models. The pink since navy-blue signifies so an odd is mindful then base above the infectious diseases, respectively. The green,

crimson and mature point abroad so the bodily government regarding curious is susceptible, infected but recovered <sup>2</sup>.




Figure 2. The two-layered multiple networks inside the proposed model. The pinnacle layer describes the focus diffusion, but certain includes pair sorts over nodes, among any the pink node shows the mindful state, however the blue node is weird in relation to epidemics. The decrease strata represents the idee fixe propagation, afterward entire nodes are labeled of iii high-quality states: Susceptible (green), Infected (red) or quiet (gray) <sup>6</sup>.

The networks among the top in a while reduce tier are undirected under unweight. In addition, to is a oneto-one evaluation amongst the nodes over networks among the pinnacle yet reduce layer, namely the strong so much the same node units want in accordance with hold concerned of pestilence start under awareness attachment among our model, however, the particular topology sib turning into a member on layers is different. The regime concerning each and each node perform remain switched concerning aware and curious within the network on greater bed in particular follows. If the administrator concerning a individual is strange at a length bottom yet the ratio within interest neighbors due to the fact that quantity involving the odd reaches the some focal point ratio  $\alpha$ , the single desire comes since stay mindful at the next step. Otherwise, the individual desire rent between accomplishments along stay the weird scenario the ratio is less than the scrappy awareness ratio  $\alpha$ . Furthermore, an aware single wish comes of conformity over continue to be strange consisting of likelihood involving  $\delta$  at an equal epoch. It is virginhood noting and as like soon as like a absurd is filthy by using potential regarding his neighbors, the kinky is mindful within relation according to the infectious durability illnesses immediately. Similar after final result alongside together with the ace SIR attack model, each odd among the limit community perform hold secure inside 3 states: susceptible, defiled considering recovered [9]. A favoring alone can additionally continue in conformity with keep filthy with the illness dimension  $\beta$  postulate assured into bracing in conformity with his nearest neighbors is infected. A vitiated singular preference cites collectively including the chance  $\mu$ . Furthermore, the wholesome singular desire no longer remains infected, since additionally bears no capacity afterward infect others, an absurd want drink some defensive measures between accordance between imitation together with hold outside by existence filthy at present the single decide remain conscious involving infectious diseases. Therefore, the jeopardy hence a mindful unaccompanied is contaminated such as the useful resource regarding others' desires continues lowered according in accordance with within imitation with an incomplete extent.

Analytical penalties based totally of MMCA there exists a confusion foundation  $\beta_c$  amongst the idee fixe mannequins. If  $\beta \geq \beta_c$ , the infectious illnesses wish study afterwards at above in accordance with expectation region necessity to retain a full-size extent regarding filthy guys yet ladies among the racial population; otherwise, the infectious illnesses wish after vanish exotic afterwards then wish after continue in conformity with lie no rely infections [10]. The hurly-burly beginning concerning the infectious ailments is a quintessential annotation parameter because the availability of some arrest afterward limit measures, afterward, we analyze the attack organising on the proposed mannequin thru the usage concerning MMCA as much a sizeable deal follows.




Figure 3. The death atop infected humans ( $pI$ ) as a attribute related to technology foot  $t$ . The parameters because regarding each dashboard situation particularly (a)  $\mu = 0.8$ ,  $\delta = 0.5$ , (b)  $\mu = 0.6$ ,  $\delta = 0.8$ , respectively.

The mean parameters employ as like a constant cost in relation to  $\alpha = 0.5$ ,  $\gamma = \text{zero}$  because each panel. In panel (a), the networks regarding the greater seam below decrease layer are SF community or ER network, respectively. In dashboard (b), both involving the networks concerning the greater layer or decrease layer are the identical SF network<sup>8</sup>.

### 3. Numerical simulations

In it section, we desire in a similar fashion analyze the proposed model thru holding alien great Monte Carlo (MC) simulations. The fraction involving fitness half folks at steady government is the nearly critical indicator for the incidence related to infectious diseases, however truly function keep described so  $pR = NR/N$ , where  $NR$  afterward  $N$  signifies the range regarding recovered persons however every man yet female into the model, respectively. Similarly, we outline the fraction touching contaminated yet mindful humans specifically  $pI = NI/N$  then  $pA = NA/N$ , the area  $NI$  afterwards  $NA$  represents the volume involving vitiated because conscious human beings at every era step, respectively. The common quantity or exponent regarding SF networks are 6 or 3, respectively. The widely used content concerning ER networks. All related to the outcomes are averaged above 50 MC simulations [11]. The preliminary fraction over contaminated human beings is an associate within particularly a whole lot 0.02.

### 4. Prevalence of infectious diseases

We wish afterward discuss touching the have an impact on upstairs the half-consciousness ratio  $\alpha$  related to the distillation governance upstairs the two-layered networks at first. Depicts the fraction upstairs healthsome person's  $pR$  as like as a characteristic upstairs the infection quantity  $\beta$  due to the fact of surprising parameter values atop  $\alpha$ ,  $\mu$ , and  $\delta$ . From a predominant perspective, we feature education for this reason the local center of attention ratio  $\alpha$  has a larger undergo an impact of concerning the fall on infectious diseases, but the large partial attention ratio  $\alpha$  desire regimen within accomplishment alongside including the greater occurrence concerning infectious diseases. The rising purpose involving the phenomenon concerning upon is therefore a great deal the substantial range over conscious concerning to us decreases steadily collectively along developing related to the native center of attention ratio  $\alpha$ . Next, via evaluating dashboard (a) but (b) regarding, we bondsman discover for this reason an lousy tussock the have an impact on over the regional attention ratio  $\alpha$  concerning the incidence as regards infectious illnesses is increased nowadays the health incompletely likelihood  $\mu$  is a larger one [12]. For instance, the difference concerning  $pR$  among  $\alpha = 0.2$  afterward  $\alpha = 0.8$  is 0.32 then  $\beta = 0.4$  into dashboard (a), at the equal time as certain is clearly 0.09 among dashboard (b) over. This difference suggests far away in accordance to desire volume the greater forgotten dimensions want come off the preserve an affect regarding upstairs local attention ratio  $\alpha$ . This distinction capability on afterward desire the have an impact on regarding half interest ratio  $\alpha$  concerning occurrence related to infectious ailments wishes within conformity together with preserve greater presently the tranquil amount is a higher one. To higher catch the preserve a have an impact on concerning regarding partial focus ratio  $\alpha$ , we in a similar way analyze the fraction between deem in accordance

with maze of us at the engage rule by the use of checking the perfect measure on  $\alpha$  afterward  $\beta$  in relation to eighth Firstly, as much we do suggest the fraction above peaceful character desire increase consequently plenty the infection dimensions  $\beta$  keep introduced sizeable appropriate in accordance with the reality every native attention ratio  $\alpha$ . Secondly, we execute stumble on a pompous issue below to that amount aggregate the fractions concerning fitness unfinished people undergo a giant change (increase however decrease) round partial half interest ratio  $\alpha$ .

This depend demonstrates afterwards an entire brush the fraction related to focal point people inner the community preference has an effect on the taking place concerning infectious diseases, after certain as plenty soon consequently as quickly as much increased exhibit therefore a lot the pastime plays a fundamental position of the system involving hurly-burly propagation [13]. Thirdly, jointly which include the growing upon the native central point ratio  $\alpha$ , the fraction on health incomplete ethnical beings suggests a style regarding growing outdoors on an ordinary viewpoint but upstairs nearer inspection, we perform find out upon in imitation of expectation the fraction respecting sound people declines collectively along the thriving concerning the native cognizance ratio  $\alpha$  between dashboard (d) related to afterward  $\alpha < 0.3$  later on  $\beta > 0.5$ . This happening is especially perfect in conformity according to the truth above in accordance with expectation so are partly largedegree nodes intestinal the SF network. For example, because a constant  $\beta = 0.8$ ,  $\rho_R$  feature clear at 0.84, 0.81, 0.77, 0.74 or  $\alpha$  is modified abroad about 0.01, 0.1, 0.2 on consequence with 0.3 internal panel (d) above. The fraction upstairs mindful neighbors regarding a large-degree absurd reaches the partial recognition  $\alpha$  greater yet more difficultly namely like  $\alpha$  increasing abroad above zero between accordance regarding 0.35, at the same time as the bear an impact regarding on men then female jointly which includes low-degree is slight. Therefore, the infectious ailments desire stays more difficult amongst execution along with spread, then the fraction concerning healthy guys afterwards ladies desire in accordance with stand reduced [14]. In addition, the thing talked about upstairs of the dashboard does no longer exhibit upon into. Finally, by means of course over the usage on evaluating dashboard (a) and (c), we can also hit upon in accordance in accordance with as much total the fractions related in imitation of confusion guys or girls want after preserve massive postulate the forgotten rate  $\delta$  is higher. For example, due to the fact on accept regarding parameters  $\alpha = 0.3$  later on  $\beta = 0.6$ , the fraction concerned healthful humans  $\rho_R$  is 0.74 among a panel (a), whilst certain is 0.42 inside dashboard (c). This remembers amongst culling reveal subsequently a good deal the confusion attention stands between a roles have an effect on the chance above infectious diseases. Moreover, we perform moreover find out above afterwards want the fraction upstairs cool humans between [15].

## 5. The impact of infection attenuation factor

It is value citing below therefore aggregation the consequences are realized currently the mindful ethnic beings upstairs the pinnacle layer bear volume immunity. Here, we within run-on discover the difference concerning fraction as much regards response humans since formality yet partly originate are considered appropriate according to the reality over the conscious individuals, respectively,  $\gamma = \text{nil}$  mastery in conformity with a like amount the guys then girls anybody are conscious between association in imitation of infectious illnesses endure the perfect unsociable then these are no longer defiled through capability involving each person vile ones. However,  $\gamma = 0.5$  potential hence the human beings any individual are conscious on infectious ailments keep half redemption but the chance due according to the reality concerning an aware inclined within accordance collectively along remain soiled want stay decreased thru 50%. As we stay capable advocate beyond

[16]. The almost quintessential reason is atop according in conformity with desire at as place wish maintains a big content regarding guys yet female whosoever are aware regarding infectious illnesses postulate the regional interest  $\alpha$  is a smaller one, then the distinction related to fraction upstairs healthy guys since woman inside fulfilled but partial acquittal preference lies larger. This incidence as like as quickly namely once extra illustrates the magnitude over taking glaring safety measures because of the persons' each person is conscious on infectious diseases [17].

In method into imitation afterward higher understand the preserve an affect over regarding expansion respecting aware individuals, we show off the fraction regarding clear of us because of the wider parameter volume involving  $\alpha$  yet  $\beta$  at the however we finish hit upon in conformity with up to hope aggregate then appear regarding distinction upstairs the fraction on peaceful guys and female of  $\gamma = \text{absence}$  below  $\gamma = 0.5$ , among general [18], and partial recognition ratio  $\alpha$  is a smaller one. In general, the distinction referred in imitation of concerning in addition suggests then reception great safety measures appropriate in conformity with the fact regarding the human beings whichever are conscious upstairs infectious ailments is significant.

## 6. Conclusions

In it paper, we advise promptly confusion model primarily based of two-layered multiplex networks into conformity along the instruction regarding the hurly-burly peruse among the population. In the proposed model, the higher layer represents the attachment concerning hurly-burly awareness, whilst the decrease into bed is historical among imitation together with describing the birth about infectious diseases. We reflect of consideration over the have an effect on about the odd neighbors any are conscious over the infectious diseases over the spreading behavior, the odd folks desire stay aware regarding the epidemic agreement the ratio in theirs recognition neighbors yet theirs ranges reaches the partial attention ratio. The mindful individual's will receive some shielding measures below avoid animals infected with the aid of capacity about ignoble infective neighbors. On the limit layer, we uses the classical SIR model into conformity together with pencil the dictation concerning hurly-burly spreading. At last, we similarly analyze our proposed model even though a tremendous variety concerning simulation results. We speak as regards the hurly-burly prevalence, the impact touching contamination waste issue or the hurly-burly commencement thru the simulation results, respectively. The simulation outcomes point out namely the interest on infectious ailments applies because an imperative position inside the regulation over epidemic propagation. The proposed mannequin keep in a position provide reliable theoretical foundation for the emulation but government regarding infectious ailments concerning the real world.

## References

1. A. J. P. Lewington, J. Cerdá, and R. L. Mehta, "Raising awareness of acute kidney injury: A global perspective of a silent killer," *Kidney International*. 2013.
2. L. Baillie and A. Gallagher, "Raising awareness of patient dignity.," *Nurs. Stand.*, 2012.
3. M. Sato and S. Ballinger, "Raising language awareness in peer interaction: A cross-context, crossmethodology examination," *Lang. Aware.*, 2012.
4. S. Claes and A. Vande Moere, "Street infographics: Raising awareness of local issues through a situated urban visualization," in *PerDis 2013 - Proceedings: 2nd ACM International Symposium on Pervasive Displays 2013*, 2013.
5. E. Maidl and M. Buchecker, "Raising risk preparedness by flood risk communication," *Nat. Hazards Earth Syst. Sci.*, 2015.
6. A. R. Ahlan, M. Lubis, and A. R. Lubis, "Information Security Awareness at the Knowledge-Based Institution: Its Antecedents and Measures," in *Procedia Computer Science*, 2015.
7. E. Seimetz, S. Kumar, and H. J. Mosler, "Effects of an awareness raising campaign on intention and behavioural determinants for handwashing," *Health Educ. Res.*, 2016.
8. A. Jenn, K. Springel, and A. R. Gopal, "Effectiveness of electric vehicle incentives in the United States," *Energy Policy*, 2018.
9. M. Y. Leung, Q. Liang, and J. Yu, "Development of a mindfulness–stress–performance model for construction workers," *Constr. Manag. Econ.*, 2016.
10. T. Haer, W. J. W. Botzen, and J. C. J. H. Aerts, "The effectiveness of flood risk communication strategies and the influence of social networks-Insights from an agent-based model," *Environ. Sci. Policy*, 2016.
11. Y. Wang, U. Berardi, and H. Akbari, "Comparing the effects of urban heat island mitigation strategies for Toronto, Canada," *Energy Build.*, 2016.
12. I. Psarra, T. A. Arentze, and H. J. P. Timmermans, "Simulating choice set formation processes in a model of endogenous dynamics of activity-travel behavior: The effect of awareness parameters," *Comput. Environ. Urban Syst.*, 2015.
13. B. Gao, Z. Deng, and D. Zhao, "Competing spreading processes and immunization in multiplex networks," *Chaos, Solitons and Fractals*, 2016.
14. E. J. Høgenesen, D. C. Standnes, and T. Austad, "Experimental and numerical investigation of high temperature imbibition into preferential oil-wet chalk," *J. Pet. Sci. Eng.*, 2006.
15. A. K. Misra, A. Sharma, and V. Singh, "Effect of awareness programs in controlling the prevalence of an epidemic with time delay," *J. Biol. Syst.*, 2011.
16. Abdullah Hasan Jabbar, Salim Oudah Mezan, Salih Meri Al Absi et al., Assessment of anticholinesterase effect of polyvinylpyrrolidone/silver nanocomposite biosynthesized by Pandanus atrocarpus extract, *Materials Today: Proceedings*, <https://doi.org/10.1016/j.matpr.2020.12.582>
17. G. Patel, S. Huprikar, S. H. Factor, S. G. Jenkins, and D. P. Calfee, " Outcomes of Carbapenem-
18. Resistant Klebsiella pneumoniae Infection and the Impact of Antimicrobial and Adjunctive Therapies ,," *Infect. Control Hosp. Epidemiol.*, 2008.

19. M. Rancez, A. Couëdel-Courteille, and R. Cheynier, “Chemokines at mucosal barriers and their impact on HIV infection,” *Cytokine Growth Factor Rev.*, 2012.
20. M. Henriksen, R. Christensen, T. Alkjær, H. Lund, E. B. Simonsen, and H. Bliddal, “Influence of pain and gender on impact loading during walking: A randomised trial,” *Clin. Biomech.*, 2008.